

LOCUST CHILD DEVELOPMENT CENTER

Address not published at provider's request
NC

2 Inspection Visits Since 2024 · 2 Findings · 0% Corrected at Visit

Most recent inspection: Mar 30, 2026

● 2 Important

Across 2 inspections since 2024, the issues cited most often were Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection. (1) and Enhanced Staff/child Ratios and Group Sizes Were Not Met. (1). None of the 2 findings were critical.

Inspection Visits

Mar 30, 2026 1 Finding ● 1 Important

- **Operator Has Not Scheduled and Obtained a Fire Inspection Within 12 Months of the Previous Inspection.**

Operator did not submit the original approved report to DCDEE within one week of the inspection visit on a form provided by the Division. The latest fire inspection report was not r

Jan 24, 2024 1 Finding ● 1 Important

- **Enhanced Staff/child Ratios and Group Sizes Were Not Met.**

Space #2 had eleven(11) children present. The group space capacity is ten(10) for this space. Violation confirmed corrected by follow-up visit made by consultant on 1/30/2024

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.