

KIDS FIRST ACADEMY

3308 POOLE RD SUITE 102
RALEIGH, NC

1 Inspection Visit Since 2025 - 2 Findings - 0% Corrected at Visit

Most recent inspection: Jan 30, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete. (1) and Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1). None of the 2 findings were critical.

Inspection Visits

Jan 30, 2025 2 Findings ● 2 Important

● **Fire Drills Were Not Practiced Monthly And/or the Drill Record Was Incomplete.**

A fire drill was not documented for December 2024. Violation confirmed corrected by letter received from provider on 2/4/2025

● **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

Monthly playground inspections were not documented for the months of September-December 2024. Violation confirmed corrected by letter received f

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.