

LAURELWOOD COMMUNITY PRESCHOOL

4710 WAXHAW-MARVIN ROAD
WAXHAW, NC

1 Inspection Visit Since 2024 · 5 Findings · 20% Corrected at Visit

Most recent inspection: Aug 6, 2024

● 5 Important

Across 1 inspection since 2024, the issues cited most often were Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs... (1), Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age. (1), and Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements. (1). None of the 5 findings were critical.

Inspection Visits

Aug 6, 2024 5 Findings ● 5 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. In room number three (3) there was a power stri

● **Plastic Bags, Materials That Could Be Torn Apart and Toy Parts Small Enough to Be Swallowed Were Accessible to Children Under Three Years of Age.**

In room number two (2) there were plastic bags accessible to children. Violation corrected during visit

Corrected at visit

● **Monthly Playground Inspections Were Not Completed And/or They Were Not Completed by an Individual Trained in Playground Safety Requirements.**

The last playground inspection documentation was completed in June of 2024. Violation confirmed corrected by letter received from provider on 8/

● **The Medical Action Plan Was Not Updated on an Annual Basis or When Changes to the Plan Were Made by the Child's Parent or Health Care Professional.**

In room number three (3) and in the child's folder there was not an updated Medical Action Plan for a child with an epi-pen. Violation co

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule.**

In room number three (3) the permission slip for an epi-pen and an antihistamine were expired and the permission form did not have a valid date range for usage. Violation con

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.