

## CLAY COUNTY INCLUSIVE PRESCHOOL

698 ANDERSON STREET  
HAYESVILLE, NC

### 3 Inspection Visits Since 2024 · 5 Findings · 0% Corrected at Visit

Most recent inspection: Mar 24, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Daily Records of Arrival and Departure Times for Children at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made Available For... (1), The Written Feeding Plan Did Not Include the Child's Name, Parent Signature, And/or Was Not Dated When Received by the Center. (1), and Over-the-counter Medicines Were Not in Their Original Containers or Administered as Authorized in Writing by Parent, Physician or Authorized Health... (1). None of the 5 findings were critical.

### Inspection Visits

Mar 24, 2026 3 Findings ● 3 Important

● **Daily Records of Arrival and Departure Times for Children at the Center Were Not Maintained as Children Arrive and Depart And/or Were Not Made Available For...**

review. One child was not signed in space # 8 with arrival time and present for the day Violation confirmed corrected by letter

● **The Written Feeding Plan Did Not Include the Child's Name, Parent Signature, And/or Was Not Dated When Received by the Center.**

One feeding plan did contain the parents' signature. Violation confirmed corrected by letter received from provider on 4/6/2026

● **Over-the-counter Medicines Were Not in Their Original Containers or Administered as Authorized in Writing by Parent, Physician or Authorized Health...**

professional. An emergency medication (Benadryl)that was listed on the action plan, was not in it's original container. Violation confirm

#### About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

**Apr 25, 2025** 1 Finding ● 1 Important

● **Outdoor Play Area Was Not Enclosed by Fence with a Minimum Height of 4 Feet.**

The top of the fence, less than six feet, was not free from protrusions. Outdoor play area was not enclosed by fence with a minimum height of 4 feet. The top of the fence, less than six feet, was not free fro

**May 2, 2024** 1 Finding ● 1 Important

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. A washer/dryer outlet was not covered and was

**About this report**

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.