

LA PETITE ACADEMY

9313 LEESVILLE ROAD
RALEIGH, NC

3 Inspection Visits Since 2025 - 5 Findings - 0% Corrected at Visit

Most recent inspection: May 19, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Each New Employee Did Not Complete, Within the First Two Weeks of Employment, Six Clock Hours of Training in Required Topic Areas. (1), Staff Did Not Complete the Health and Safety Training Within One Year of Employment. (1), and A Drug or Medicine Was Administered After Its Expiration Date. (1). None of the 5 findings were critical.

Inspection Visits

May 19, 2026 2 Findings ● 2 Important

● **Each New Employee Did Not Complete, Within the First Two Weeks of Employment, Six Clock Hours of Training in Required Topic Areas.**

Two staff files did not contain the orientation training log showing its completion and signed off by the director and employee. Violation pending provide

● **Staff Did Not Complete the Health and Safety Training Within One Year of Employment.**

Three staff hired in January 2025 did not complete their first year of health and safety training by January 2026. Violation pending provider response

May 12, 2026 1 Finding ● 1 Important

● **A Drug or Medicine Was Administered After Its Expiration Date.**

Epi-pens on site for enrolled children expired in August 2025 and were required to be picked up and a current pen be provided to the facility for the enrolled child's allergy. Violation confirmed corrected by letter receiv

Dec 17, 2025 2 Findings ● 2 Important

● **Staff Did Not Wash Their Hands Thoroughly Before Beginning Work, Before/after Handling Food, Before Bottle Feeding or Serving to Other Children, After...**

toileting or handling body fluids, after diaper changing and after handling soiled items. staff person was observed cleaning their nos

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

● **Electrical Outlets and Power Strips, Not in Use, Which Were Located in Space Used by Children Did Not Have Safety Outlets or Were Not Covered with Safety Plugs...**

unless located behind furniture or equipment that cannot be moved by a child. Outlet in the preschool classroom did not have

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.