

KINDERCARE LEARNING CENTERS LLC

1741 DIXON ROAD
GASTONIA, NC

4 Inspection Visits Since 2025 · 5 Findings · 0% Corrected at Visit

Most recent inspection: May 11, 2026

● 5 Important

Across 4 inspections since 2025, the issues cited most often were A Safe Indoor and Outdoor Environment Was Not Provided for the Children. (1), Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule. (1), and A Violation Was Found for Which There Is No Item Number. 15A NCAC 18A .2831 ANIMAL AND VERMIN CONTROL (B) Effective Measures Shall Be Taken to Keep... (1). None of the 5 findings were critical.

Inspection Visits

May 11, 2026 1 Finding ● 1 Important

● **A Safe Indoor and Outdoor Environment Was Not Provided for the Children.**

Per staff report, live and dead bugs are found throughout the facility on a daily basis. Violation confirmed corrected by letter received from provider on 5/22/2026

Mar 4, 2026 1 Finding ● 1 Important

● **Medication Authorization, Giving the Caregiver Standing Authorization Did Not Meet the Specifications in Rule.**

In Space #7b, the Permission to Administer Medication Form for one (1) tube of Orajel Baby Cooling Gel expired on January 18, 2026. In Space #7b, there was no Permission to

Oct 14, 2025 1 Finding ● 1 Important

● **A Violation Was Found for Which There Is No Item Number. 15A NCAC 18A .2831 ANIMAL AND VERMIN CONTROL (B) Effective Measures Shall Be Taken to Keep...**

uncontained insects, rodents, and other vermin out of the child care centers and to prevent their breeding or presence on the premises.

Aug 27, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.

- **Electric Fans Were Not Mounted Out of Reach or Did Not Have a Mesh Guard to Prevent Access.**

In Space #4, two (2) electric fans, both on top of the cubbies, were powered on and running. The two (2) fans were not mounted and were not fitted with mesh guards. Violation corrected during

- **Leftover Medicines Were Not Returned to the Parent After the Course of Treatment Was Completed, After Authorization Was Withdrawn or After Authorization Had...**

expired and/or medication was not discarded within 72 hours of completion of treatment or withdrawal of authorization. In Space

About this report

Childery generates this report from public inspection records published by the North Carolina Division of Child Development and Early Education. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the North Carolina Division of Child Development and Early Education.