

Division of Public and Behavioral Health

| | | | |
|--|--|--|--|
| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 4571 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 02/10/2026 |
|--|--|--|--|

| | |
|---|---|
| NAME OF PROVIDER OR SUPPLIER BONSAI BABY | STREET ADDRESS, CITY, STATE, ZIP CODE 7049 WOOD BARK DRIVE, LAS VEGAS, NEVADA ,89119 |
|---|---|

| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
|--------------------|---|---------------|---|----------------------|
| 0001 | <p>The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.</p> <p>This Statement of Deficiencies was generated as a result of a State Licensure survey conducted in your facility. This State Licensure survey was conducted by the authority of NRS 432A.180, Inspection by Health Division, State Fire Marshal and State Health Officer.</p> <p>NAC432A.195: The Division may impose an administrative fine in the amount of \$100 for the failure to correct any violation of a provision of this chapter or chapter 432A of NRS within the time frame set forth in the notice of violation, whereas the notice of violation may be issued in the form of a statement of deficiencies or a report of an inspection of the facility. A fine may be imposed for each day a facility is in noncompliance with the notice of violation.</p> <p>Failure to submit Plan of Correction by due date may result in a \$100 a day fine until the Plan has been submitted and/or further progressive action.</p> <p>The following deficiencies were identified:</p> <p>Inspector Comments: This Statement of Deficiencies was generated as a result of the on-site State licensure inspection conducted at your facility on 02.10.2026. Please respond to each deficiency and attach documents as requested for the deficiency it pertains to. Sign and submit your Plan of Correction within 10 business days of receipt. Inspection consensus, the facility is licensed for 12 children as a Group Care. The census at the time of survey was 4 children. No children's files and no staff files were reviewed.</p> | 0001 | | |

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE Name: IVAN ALIS WILLIAMS Title: Owner/Director Date: 02/25/2026

Division of Public and Behavioral Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 4571 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 02/10/2026 | |
|--|--|---|--|----------------------------|
| NAME OF PROVIDER OR SUPPLIER BONSAI BABY | | STREET ADDRESS, CITY, STATE, ZIP CODE 7049 WOOD BARK DRIVE, LAS VEGAS, NEVADA ,89119 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| | <p>NAC432A.195: The Division may impose an administrative fine in the amount of \$100 for the failure to correct any violation of a provision of this chapter or chapter 432A of NRS within the time frame set forth in the notice of violation, whereas the notice of violation may be issued in the form of a statement of deficiencies or a report of an inspection of the facility. A fine may be imposed for each day a facility is in noncompliance with the notice of violation.</p> <p>Failure to submit Plan of Correction by due date may result in a \$100 a day fine until the Plan has been submitted and/or further progressive action.</p> <p>Reminders: 1. Menu needs to be posted 2. Curriculum needs to be posted 3. Label water bottles 4. Revise facility statement of ages of children served to match license (12m-5y)</p> | | | |

Division of Public and Behavioral Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 4571 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 02/10/2026 | |
|--|---|--|--|----------------------|
| NAME OF PROVIDER OR SUPPLIER BONSAI BABY | | STREET ADDRESS, CITY, STATE, ZIP CODE 7049 WOOD BARK DRIVE, LAS VEGAS, NEVADA ,89119 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| NAC 250.4 | <p>4. The play area of each facility must:</p> <ul style="list-style-type: none"> (a) Be fenced or enclosed in a manner that prevents the unsupervised departure of children from the area; (b) Have an adequate drainage system; (c) Be free of hazards, debris and trash; (d) If it is an outdoor play area, provide, during the months of April through September, a shade area or shade areas that are at least equal in size to the product of 5 square feet multiplied by the total number of children in the outdoor play area; (e) Have appropriate, as determined by the Division, depths and perimeters of resilient surfacing underneath and surrounding any elevated play equipment; (f) Have adequate safety barriers around any elevated platforms; (g) Not have any dangerous or poisonous plants or other vegetative matter located within the boundaries of the play area or in an area that is accessible to children from the play area; (h) Not be in a location where any bodies of water are accessible to children; and (i) If it has playground equipment, have only equipment that is: <ul style="list-style-type: none"> (1) In good repair; (2) Designed and constructed to minimize injury; (3) Compatible with the age of the children in the care of the facility; (4) Spaced to reduce accidents; and (5) Securely anchored. <p>The facility was found to have hazards as listed below. Ensure that the play area is free of hazards, debris and trash.,</p> <p>Inspector Comments: Based on observation and interview, the facility was found to have hazards as listed below:</p> <p>The black strip cloth under the gravel is exposed and can pose a tripping hazard on the right side of the outdoor area facing away from the home. Please provide a plan of correction and upload a picture as evidence of correction.</p> <p>Answer the 4 POC questions.</p> | NAC 250.4 | <ul style="list-style-type: none"> 1. I flattened the black strip and covered it with additional gravel. 2. The corrective action took place on February 24, 2026. 3. I will do a daily check to ensure the black strip remains covered and the gravel stays leveled. 4. Ms. Ivan Alis Williams is responsible for correction and maintenance. | 02/24/2026 |

Division of Public and Behavioral Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 4571 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 02/10/2026 | |
|--|--|---|---|----------------------|
| NAME OF PROVIDER OR SUPPLIER BONSAI BABY | | STREET ADDRESS, CITY, STATE, ZIP CODE 7049 WOOD BARK DRIVE, LAS VEGAS, NEVADA ,89119 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| NAC 280.3 | <p>"3. The licensee of a facility shall hold: (a) A fire drill at least once every month; and (b) A drill for natural disasters at least once every 3 months." The facility had no record that a fire drill was held at least once every month. Hold fire drills as required and complete a record of the drills., The facility had no record that a drill for natural disasters was held at least once every three months. Hold drills for natural disasters as required and complete a record of the drills.,</p> <p>Inspector Comments:</p> <p>Basedon observation and interview, the facility had no record that a drill fornatural disasters was held at least once every three months; nor did thefacility have any record that a fire drill was held at least once each month.</p> <p>Please conduct a fire and disaster drill and submit a copy of the current drilllog for both.</p> <p>Answer the 4 POC questions.</p> | NAC 280.3 | <p>1. We obtained a proper fire drill/ disaster log to maintain a record of our drill and conducted a disaster drill for the quarter. This was recorded on the log. We had already done 1 fire drill for the year.</p> <p>2. This corrective action took place and was recorded February 17, 2026.</p> <p>3. We have set an alarm in our phone calendar to remind us to have the drills for both monthly fire drills and quarterly disaster drills.</p> <p>4. Ms. Ivan Alis Williams is responsible for correction and maintenance.</p> | 02/17/2026 |

Division of Public and Behavioral Health

| STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION | (X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 4571 | (X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____ | (X3) DATE SURVEY COMPLETED 02/10/2026 | |
|--|--|---|--|----------------------|
| NAME OF PROVIDER OR SUPPLIER BONSAI BABY | | STREET ADDRESS, CITY, STATE, ZIP CODE 7049 WOOD BARK DRIVE, LAS VEGAS, NEVADA ,89119 | | |
| (X4) ID PREFIX TAG | SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION) | ID PREFIX TAG | PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY) | (X5) COMPLETION DATE |
| NAC 302 | <p>1. A licensee of a child care facility shall not knowingly appoint a person as director of the facility or appoint or permit the appointment of a person as an employee or volunteer at the facility if the person has been convicted of child abuse or neglect or any other crime involving physical harm to a person or if a criminal action for such a crime is pending against the person.</p> <p>2. The staff of a child care facility must be able to:</p> <p>(a) Work with children without recourse to physical punishment or psychological abuse;</p> <p>(b) Communicate with children and their parents;</p> <p>(c) Praise and encourage children and provide them with a variety of opportunities for learning and social experiences; and</p> <p>(d) Recognize and eliminate hazards to the safety of children.</p> <p>Inspector Comments: Based on observation, the facility failed to recognize and eliminate the following hazards for the safety of children as evidenced by the following:</p> <p>1. The tall wooden cabinet with art supplies (Big Bertha) was unlocked and contained art supplies. The contents of the cabinet need to be locked or made inaccessible to children. Please provide a plan of correction and upload a picture as evidence of correction.</p> <p>2. Surveyor observed 3 spray bottles (cleaners and disinfectants) hanging on the towel rack in the children's bathroom. Ensure that all cleaning and disinfecting supplies are inaccessible to children. If placing cleaning and Provide a plan of correction and upload a picture as evidence of correction.</p> <p>Answer the 4 POC questions to the two deficiencies noted above.</p> | NAC 302 | <p>Bottles</p> <p>1. The Bottles were removed from the towel rack and placed in the child proof storage closet.</p> <p>2. The corrective action took place on February 10, 2026.</p> <p>3. We will leave the bottles in the supply closet until we install our floating shelf out of reach of the children in the bathroom.</p> <p>4. Ms. Ivan Alis Williams is responsible for correction and maintenance.</p> <p>Art Supply Storage (Big Birtha)</p> <p>1. I placed all of the supplies that should be out of reach for the children in the high shelves of the supply cabinet until we have the capacity to remove Big Birtha from the space entirely. Children will have access to pre-made crafts, paper, and felt.</p> <p>2. This Correction was made February 24, 2026.</p> <p>3. The supplies will remain where they are currently stored until they are transitioned into the garage for continued storage.</p> <p>4. Ms. Ivan Alis Williams is responsible for correction and maintenance.</p> | 02/24/2026 |