

Khan, Bibi

4612 Carpenter Avenue
Bronx, NY

2 Inspection Visits Since 2024 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Aug 5, 2025

● 5 Important

Across 2 inspections since 2024, the issues cited most often were Each Applicant Must Complete the Office-approved Training That Complies with the Federal Minimum Health and Safety Pre-service Training Requirements or Three-mo (2), Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan (2), and Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home. (1). None of the 5 findings were critical.

Inspection Visits

Aug 5, 2025 2 Findings ● 2 Important

- **Each Applicant Must Complete the Office-approved Training That Complies with the Federal Minimum Health and Safety Pre-service Training Requirements or Three-mo**

416.14(b)(1)

Corrected at visit

- **The Required 30 Hours of Training Every Two Years Is Subject to the Following Conditions: Fifteen of the Required Thirty (30) Hours of Training Must Be Obtained**

416.14(c)(1)

Corrected at visit

Aug 8, 2024 3 Findings ● 3 Important

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home.**

416.4(b)(1)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan**

416.5(b)(4)

Corrected at visit

- **Each Program Must Have on Site a Variety of Supplies Including Food, Water, First Aid and Other Safety Equipment to Allow for the Protection of the Health and S**

416.5(b)(7)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.