

CHUCHILIS INC.

1186 Sherman Avenue
Bronx, NY

1 Inspection Visit Since 2026 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Feb 12, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were Multi-purpose Fire Extinguishers of a Type Approved for Use in Residences Must Be Maintained in Good Working Condition and Placed in the Kitchen and Outside The (1), All Required Vaccinations Must Be Kept Current for All Animals Present at the Program. (1), and All Child Care Programs Must Have at Least One Caregiver Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid on the Premises Of (1). None of the 3 findings were critical.

Inspection Visits

Feb 12, 2026 3 Findings ● 3 Important

- **All Child Care Programs Must Have at Least One Caregiver Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid on the Premises Of**

416.14(m)

Corrected at visit

- **Multi-purpose Fire Extinguishers of a Type Approved for Use in Residences Must Be Maintained in Good Working Condition and Placed in the Kitchen and Outside The**

416.4(f)

Corrected at visit

- **All Required Vaccinations Must Be Kept Current for All Animals Present at the Program.**

416.5(l)(3)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.