

## Haverstock, Celeste

16 Coventry Dr.  
Massena, NY

### 3 Inspection Visits Since 2025 · 5 Findings · 100% Corrected at Visit

Most recent inspection: Feb 27, 2026

#### ● 5 Important

Across 3 inspections since 2025, the issues cited most often were Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children. (3), Unused Portions of Bottles or Containers From Which Children Have Been Spoon-fed Must Be Discarded After Each Feeding or Placed in a Securely Tied Plastic Bag A (1), and The Program Must Maintain on File at the Group Family Day Care Home, Available for Inspection a Copy of the Evacuation Plan, Evacuation Drills, and Shelter-in-p (1). None of the 5 findings were critical.

### Inspection Visits

**Feb 27, 2026** 3 Findings ● 3 Important

#### ● Unused Portions of Bottles or Containers From Which Children Have Been Spoon-fed Must Be Discarded After Each Feeding or Placed in a Securely Tied Plastic Bag A

416.12(r)

Corrected at visit

#### ● The Program Must Maintain on File at the Group Family Day Care Home, Available for Inspection a Copy of the Evacuation Plan, Evacuation Drills, and Shelter-in-p

416.15(c)(1)

Corrected at visit

#### ● Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.

416.5(c)

Corrected at visit

**Oct 14, 2025** 1 Finding ● 1 Important

### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

416.5(a)

Corrected at visit

**May 8, 2025** 1 Finding ● 1 Important

- **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**

416.5(c)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.