

## Caba, Mercedes

1092 Anderson Avenue  
Bronx, NY

### 1 Inspection Visit Since 2024 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Aug 1, 2024

● 3 Important

Across 1 inspection since 2024, the issues cited most often were Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard. (3). None of the 3 findings were critical.

### Inspection Visits

**Aug 1, 2024** 3 Findings ● 3 Important

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

416.5(a)

Corrected at visit

- **Barriers Must Exist to Prevent Children From Gaining Access to Unsafe, Dangerous or Hazardous Areas or Devices. Such Areas and Devices Include, but Are Not Limi**

416.5(f)(2)

Corrected at visit

- **Protective Caps, Covers or Permanently Installed Obstructive Devices Must Be Used on All Electrical Outlets That Are Accessible to Children.**

416.5(i)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.