

Erazo, Judith
1686 Metropolitan Avenue
Bronx, NY

1 Inspection Visit Since 2025 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Jan 28, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were Peeling or Damaged Paint or Plaster Must Be Repaired. (1), Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan (1), and The Program Must Obtain a Written Statement, From the Parent of Each Infant in Care, Setting Forth the Breast Milk, Formula and Feeding Schedule Instructions Fo (1). None of the 3 findings were critical.

Inspection Visits

Jan 28, 2025 3 Findings ● 3 Important

- **The Program Must Obtain a Written Statement, From the Parent of Each Infant in Care, Setting Forth the Breast Milk, Formula and Feeding Schedule Instructions Fo**

416.12(n)

Corrected at visit

- **Peeling or Damaged Paint or Plaster Must Be Repaired.**

416.3(h)

Corrected at visit

- **Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan**

416.5(b)(4)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.