

## Nunez, Luz

2776 Parkview Terrace  
Bronx, NY

### 2 Inspection Visits Since 2026 - 5 Findings - 40% Corrected at Visit

Most recent inspection: Jun 2, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications: Have a Minimum of Either Two (2) Years of Experience Caring for Childre (2), Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home. (2), and The Provider, Assistant(s), and Substitute(s), Must Each Submit a Medical Statement on Forms Furnished by the Office or an Approved Equivalent From a Health Car (1). None of the 5 findings were critical.

### Inspection Visits

**Jun 2, 2026** 3 Findings ● 3 Important

- **The Provider, Assistant(s), and Substitute(s), Must Each Submit a Medical Statement on Forms Furnished by the Office or an Approved Equivalent From a Health Car**  
416.11(b)(1)
- **The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications: Have a Minimum of Either Two (2) Years of Experience Caring for Childre**  
416.13(a)(2)
- **The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications: Provide to the Office the Names, Addresses and Daytime Telephone Number**  
416.13(a)(4)

**Apr 29, 2026** 2 Findings ● 2 Important

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home.**  
416.4(b)(1)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **In Addition to a Smoke Detector on Each Floor, There Must Be a Smoke Detector Located Either Within Rooms Where Children Nap, or in Adjoining Rooms. In the Case**

416.4(d)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.