

Foster, Elizabeth

Penn Yan, NY

2 Inspection Visits Since 2025 · 3 Findings · 100% Corrected at Visit

Most recent inspection: Feb 10, 2026

● 3 Important

Across 2 inspections since 2025, the issues cited most often were Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children. (1), Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Family Day Care Home. (1), and The Indoor and Outdoor Areas of the Home Where the Children Are Being Cared for Must Not Be Used for Any Other Business or Social Purpose or Non-daycare Activit (1). None of the 3 findings were critical.

Inspection Visits

Feb 10, 2026 1 Finding ● 1 Important

- **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**

417.5(c)

Corrected at visit

Nov 4, 2025 2 Findings ● 2 Important

- **The Indoor and Outdoor Areas of the Home Where the Children Are Being Cared for Must Not Be Used for Any Other Business or Social Purpose or Non-daycare Activit**

417.15(b)(16)

Corrected at visit

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Family Day Care Home.**

417.4(b)(1)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.