

Smith, Samantha

6411 Grandview Ave
Rome, NY

3 Inspection Visits Since 2025 · 3 Findings · 100% Corrected at Visit

Most recent inspection: Dec 5, 2025

● 3 Important

Across 3 inspections since 2025, the issues cited most often were The Registrant Must Maintain on File a Record of Each Evacuation Drill Conducted, Using Forms Provided by the Office or Approved Equivalents. (2) and Television and Other Electronic Visual Media Must Be Turned Off While Children Are Sleeping, and During Established Nap Times. This Is Not to Prohibit a Program (1). None of the 3 findings were critical.

Inspection Visits

Dec 5, 2025 1 Finding ● 1 Important

- **The Registrant Must Maintain on File a Record of Each Evacuation Drill Conducted, Using Forms Provided by the Office or Approved Equivalents.**

417.4(b)(4)

Corrected at visit

Aug 5, 2025 1 Finding ● 1 Important

- **Television and Other Electronic Visual Media Must Be Turned Off While Children Are Sleeping, and During Established Nap Times. This Is Not to Prohibit a Program**

417.7(x)

Corrected at visit

Feb 28, 2025 1 Finding ● 1 Important

- **All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr**

417.4(h)(4)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.