

## Fall, Vallerie

323 Beekman Avenue  
Bronx, NY

### 1 Inspection Visit Since 2024 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Dec 17, 2024

● 3 Important

Across 1 inspection since 2024, the issues cited most often were No Child May Be Accepted for Care in a Child Care Program Unless the Program Has Been Furnished with a Written Statement Signed by a Health Care Provider Verify (2) and Operating Carbon Monoxide Detectors Must Be Used in All Group Family Day Care Homes When Required, and Located in Areas of the Home in Accordance with Applicabl (1). None of the 3 findings were critical.

### Inspection Visits

**Dec 17, 2024** 3 Findings ● 3 Important

- **No Child May Be Accepted for Care in a Child Care Program Unless the Program Has Been Furnished with a Written Statement Signed by a Health Care Provider Verify**

416.11(a)(1)

Corrected at visit

- **The Program Must Retain on File in the Program a Medical Statement, on Forms Furnished by the Office or Approved Equivalents, From a Health Care Provider for Ea**

416.11(b)(7)

Corrected at visit

- **Operating Carbon Monoxide Detectors Must Be Used in All Group Family Day Care Homes When Required, and Located in Areas of the Home in Accordance with Applicabl**

416.5(v)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.