

Reyes, Karryl

124 Blake Avenue
Brooklyn, NY

3 Inspection Visits Since 2025 - 5 Findings - 20% Corrected at Visit

Most recent inspection: May 7, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Barriers Must Exist to Prevent Children From Gaining Access to Unsafe, Dangerous or Hazardous Areas or Devices. Such Areas and Devices Include, but Are Not Limi (2), At the Two-year Calendar Date in a Four Year Licensing Cycle, a Program Must Be in Compliance with the Following Mid-point Requirements and Be Able to Show Proo (2), and All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr (1). None of the 5 findings were critical.

Inspection Visits

May 7, 2026 3 Findings ● 3 Important

- **At the Two-year Calendar Date in a Four Year Licensing Cycle, a Program Must Be in Compliance with the Following Mid-point Requirements and Be Able to Show Proo**
416.15(b)(25)(iii)
- **Barriers Must Exist to Prevent Children From Gaining Access to Unsafe, Dangerous or Hazardous Areas or Devices. Such Areas and Devices Include, but Are Not Limi**
416.5(f)(2)
- **Operating Carbon Monoxide Detectors Must Be Used in All Group Family Day Care Homes When Required, and Located in Areas of the Home in Accordance with Applicabl**
416.5(v)

Dec 1, 2025 1 Finding ● 1 Important

- **At the Two-year Calendar Date in a Four Year Licensing Cycle, a Program Must Be in Compliance with the Following Mid-point Requirements and Be Able to Show Proo**
416.15(b)(25)(iii)

Sep 29, 2025 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr**

416.4(h)(4)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.