

Wood, Patricia

166 McKinley Street
Lake Placid, NY

2 Inspection Visits Since 2026 · 3 Findings · 67% Corrected at Visit

Most recent inspection: Apr 29, 2026

● 3 Important

Across 2 inspections since 2026, the issues cited most often were The Caregivers Must Immediately Call 911 for Children Who Require Emergency Medical Care for Children Who Require Such Care and Also Must: (1), Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children. (1), and The Program Must Maintain on File at the Group Family Day Care Home, Available for Inspection a Copy of the Evacuation Plan, Evacuation Drills, and Shelter-in-p (1). None of the 3 findings were critical.

Inspection Visits

Apr 29, 2026 1 Finding ● 1 Important

- **The Caregivers Must Immediately Call 911 for Children Who Require Emergency Medical Care for Children Who Require Such Care and Also Must:**
416.11(h)(1)

Jan 5, 2026 2 Findings ● 2 Important

- **The Program Must Maintain on File at the Group Family Day Care Home, Available for Inspection a Copy of the Evacuation Plan, Evacuation Drills, and Shelter-in-p**
416.15(c)(1)

Corrected at visit
- **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**
416.5(c)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.