

# PIES DESCALZOS DAYCARE INC.

2720 Grand Concourse  
Bronx, NY

## 3 Inspection Visits Since 2025 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Jan 13, 2026

● 5 Important

Across 3 inspections since 2025, the issues cited most often were Each Applicant Must Complete the Office-approved Training That Complies with the Federal Minimum Health and Safety Pre-service Training Requirements or Three-mo (2), The Caregivers Also Must: Obtain Written Consent at the Time of Admission From the Parent Which Authorizes the Provider or Other Caregivers to Obtain Emergency (1), and The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications: Provide to the Office the Names, Addresses and Daytime Telephone Number (1). None of the 5 findings were critical.

## Inspection Visits

**Jan 13, 2026** 2 Findings ● 2 Important

- **Each Applicant Must Complete the Office-approved Training That Complies with the Federal Minimum Health and Safety Pre-service Training Requirements or Three-mo**

416.14(b)(1)

Corrected at visit

- **The Required 30 Hours of Training Every Two Years Is Subject to the Following Conditions: Fifteen of the Required Thirty (30) Hours of Training Must Be Obtained**

416.14(c)(1)

Corrected at visit

**Oct 1, 2025** 2 Findings ● 2 Important

- **The Caregivers Also Must: Obtain Written Consent at the Time of Admission From the Parent Which Authorizes the Provider or Other Caregivers to Obtain Emergency**

416.11(h)(1)(i)

Corrected at visit

### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications: Provide to the Office the Names, Addresses and Daytime Telephone Number**

416.13(a)(4)

Corrected at visit

**May 8, 2025** 1 Finding ● 1 Important

- **In Addition to a Smoke Detector on Each Floor, There Must Be a Smoke Detector Located Either Within Rooms Where Children Nap, or in Adjoining Rooms. In the Case**

416.4(d)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.