

Finlayson, Amanda

269 LaFrancis Rd.
Ellenburg Center, NY

2 Inspection Visits Since 2025 · 3 Findings · 100% Corrected at Visit

Most recent inspection: Mar 23, 2026

3 Important

Across 2 inspections since 2025, the issues cited most often were Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children. (1), Cribs, Bassinets and Other Sleeping Areas for Infants Through 12 Months of Age Must Include an Appropriately Sized Fitted Sheet, and Must Not Have Bumper Pads, (1), and All Child Care Programs Must Have at Least One Caregiver, Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid, on the Premises (1). None of the 3 findings were critical.

Inspection Visits

Mar 23, 2026 2 Findings 2 Important

- **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**

417.5(c)

Corrected at visit

- **Cribs, Bassinets and Other Sleeping Areas for Infants Through 12 Months of Age Must Include an Appropriately Sized Fitted Sheet, and Must Not Have Bumper Pads,**

417.7(n)

Corrected at visit

Sep 23, 2025 1 Finding 1 Important

- **All Child Care Programs Must Have at Least One Caregiver, Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid, on the Premises**

417.14(m)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.