

Pizarro, Ginoshka

20 Heidelberg st
Rochester, NY

3 Inspection Visits Since 2025 · 3 Findings · 100% Corrected at Visit

Most recent inspection: Jan 22, 2026

● 3 Important

Across 3 inspections since 2025, the issues cited most often were A Safety Strap Must Be Fastened Around Children Who Are Seated in High Chairs. (3). None of the 3 findings were critical.

Inspection Visits

Jan 22, 2026 1 Finding ● 1 Important

● A Safety Strap Must Be Fastened Around Children Who Are Seated in High Chairs.

416.5(u)(2)

Corrected at visit

Nov 13, 2025 1 Finding ● 1 Important

● Protective Caps, Covers or Permanently Installed Obstructive Devices Must Be Used on All Electrical Outlets That Are Accessible to Children.

416.5(i)

Corrected at visit

Aug 12, 2025 1 Finding ● 1 Important

● There Must Be a Cushioned Surface Under All Outside Play Equipment That Present a Fall Hazard. Surfacing May Not Include Concrete, Asphalt, Grass or Hard Compac

416.5(n)(5)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.