

AMAYSING CARE INC.

10A Dorchester Road
Ronkonkoma, NY

1 Inspection Visit Since 2026 · 2 Findings · 100% Corrected at Visit

Most recent inspection: Apr 20, 2026

● 2 Important

Across 1 inspection since 2026, the issues cited most often were A Temperature of at Least 68 Degrees Fahrenheit Must Be Maintained in All Rooms to Be Occupied by Children. (1) and The Program Must Maintain on File at the Group Family Day Care Home, Available for Inspection: A Daily Schedule Documenting the Arrival and Departure Times of E (1). None of the 2 findings were critical.

Inspection Visits

Apr 20, 2026 2 Findings ● 2 Important

- **The Program Must Maintain on File at the Group Family Day Care Home, Available for Inspection: A Daily Schedule Documenting the Arrival and Departure Times of E**

416.15(c)(13)

Corrected at visit

- **A Temperature of at Least 68 Degrees Fahrenheit Must Be Maintained in All Rooms to Be Occupied by Children.**

416.3(d)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.