

Bello, Mayra

2818 Seagirt Avenue
Far Rockaway, NY

2 Inspection Visits Since 2026 - 2 Findings - 100% Corrected at Visit

Most recent inspection: Apr 22, 2026

● 2 Important

Across 2 inspections since 2026, the issues cited most often were Windows Above the First Floor, Other Than Those Identified for Emergency Evacuation, That Are Accessible to Children and Which Present a Fall Hazard Must Be Pro (1) and The Program Must Keep Documentation of Immunizations the Child Has Received to Date, in Accordance with New York State Public Health Law. (1). None of the 2 findings were critical.

Inspection Visits

Apr 22, 2026 1 Finding ● 1 Important

- **Windows Above the First Floor, Other Than Those Identified for Emergency Evacuation, That Are Accessible to Children and Which Present a Fall Hazard Must Be Pro**

416.5(q)

Corrected at visit

Feb 4, 2026 1 Finding ● 1 Important

- **The Program Must Keep Documentation of Immunizations the Child Has Received to Date, in Accordance with New York State Public Health Law.**

416.11(a)(3)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.