

# Little Bloomers Daycare

143-12 Foch Blvd  
jamaica, NY

## 2 Inspection Visits Since 2025 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Sep 24, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan (3), The Program Must Establish and Implement a Daily Schedule of Program Activities That Offers Reasonable Regularity in Routines, Including Snack and Meal Periods, (1), and All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr (1). None of the 5 findings were critical.

## Inspection Visits

**Sep 24, 2025** 3 Findings ● 3 Important

- **Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan**

416.5(b)(4)

Corrected at visit

- **Cleaning Materials Must Be Stored in Their Original Containers Unless the Product's Use or the Program's Health Care Plan Indicates That the Product Be Mixed Wi**

416.5(k)

Corrected at visit

- **The Program Must Establish and Implement a Daily Schedule of Program Activities That Offers Reasonable Regularity in Routines, Including Snack and Meal Periods,**

416.7(a)

Corrected at visit

**Feb 12, 2025** 2 Findings ● 2 Important

### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr**

416.4(h)(4)

Corrected at visit

- **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**

416.5(c)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.