

Bound to Bloom

357 Peasleeville Rd
Schuyler Falls, NY

2 Inspection Visits Since 2024 · 3 Findings · 100% Corrected at Visit

Most recent inspection: May 14, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard. (2) and Children May Not Be Placed in a Crib with a Bottle, Food or Drink. (1). None of the 3 findings were critical.

Inspection Visits

May 14, 2025 1 Finding ● 1 Important

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

416.5(a)

Corrected at visit

Nov 1, 2024 2 Findings ● 2 Important

- **Children May Not Be Placed in a Crib with a Bottle, Food or Drink.**

416.12(ab)

Corrected at visit

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

416.5(a)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.