

# Nova, Yocasta

1235 Morris Avenue  
Bronx, NY

## 1 Inspection Visit Since 2026 - 3 Findings - 67% Corrected at Visit

Most recent inspection: May 7, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home. (1), An Operable Flashlight or Battery Powered Lantern Must Be Kept in the Child Care Area. Such Equipment Must Be Properly Maintained for Use in the Event of a Powe (1), and Programs Must Offer Daily Supervised Outdoor Play, Except During Inclement or Extreme Weather or Unless Otherwise Prohibited by a Health Care Provider. Parents (1). None of the 3 findings were critical.

## Inspection Visits

May 7, 2026 3 Findings ● 3 Important

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home.**  
416.4(b)(1)  
Corrected at visit
- **An Operable Flashlight or Battery Powered Lantern Must Be Kept in the Child Care Area. Such Equipment Must Be Properly Maintained for Use in the Event of a Powe**  
416.5(r)  
Corrected at visit
- **Programs Must Offer Daily Supervised Outdoor Play, Except During Inclement or Extreme Weather or Unless Otherwise Prohibited by a Health Care Provider. Parents**  
416.7(h)

### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.