

Ferreras Grullon, Liany

2420 Bronx Park East
Bronx, NY

1 Inspection Visit Since 2024 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Oct 29, 2024

● 3 Important

Across 1 inspection since 2024, the issues cited most often were Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan (2) and All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr (1). None of the 3 findings were critical.

Inspection Visits

Oct 29, 2024 3 Findings ● 3 Important

- **All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr**

416.4(h)(4)

Corrected at visit

- **Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan**

416.5(b)(4)

Corrected at visit

- **The Licensee Must Maintain on File a Record of Each Shelter-in-place Drill Conducted, Using Forms Provided by the Office or Approved Equivalentents.**

416.5(b)(5)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.