

Castro, Alessandra

2576 Miles Avenue
Bronx, NY

2 Inspection Visits Since 2024 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Apr 2, 2025

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Windows Above the First Floor, Other Than Those Identified for Emergency Evacuation, That Are Accessible to Children and Which Present a Fall Hazard Must Be Pro (2) and The Caregiver Must Immediately Notify the Parent and Office Upon Learning of the Following Events Involving a Child Which Occurred While the Child Was in Care A (1). None of the 3 findings were critical.

Inspection Visits

Apr 2, 2025 1 Finding ● 1 Important

- **Windows Above the First Floor, Other Than Those Identified for Emergency Evacuation, That Are Accessible to Children and Which Present a Fall Hazard Must Be Pro**

416.5(q)

Corrected at visit

Oct 1, 2024 2 Findings ● 2 Important

- **The Caregiver Must Immediately Notify the Parent and Office Upon Learning of the Following Events Involving a Child Which Occurred While the Child Was in Care A**

416.15(b)(14)(iii)

Corrected at visit

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

416.5(a)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.