

Crump, Chantania

1092 Close Avenue
Bronx, NY

2 Inspection Visits Since 2025 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Nov 3, 2025

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard. (1), The Registrant Must Obtain Written Consent on Forms Furnished by the Office or Approved Equivalents From the Parent of the Child for Any Transportation of the C (1), and The Caregivers Must Immediately Call 911 for Children Who Require Emergency Medical Care and Also Must: Obtain Written Consent at the Time of Admission From The (1). None of the 5 findings were critical.

Inspection Visits

Nov 3, 2025 3 Findings ● 3 Important

- **The Caregivers Must Immediately Call 911 for Children Who Require Emergency Medical Care and Also Must: Obtain Written Consent at the Time of Admission From The**

417.11(h)(1)(i)

Corrected at visit

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

417.5(a)

Corrected at visit

- **The Registrant Must Obtain Written Consent on Forms Furnished by the Office or Approved Equivalents From the Parent of the Child for Any Transportation of the C**

417.6(a)

Corrected at visit

May 21, 2025 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **A Search of the State-based Child Abuse or Neglect Repository of Any State Other Than New York Where Such Person Lives or Lived During the Preceding Five Years.**

413.4(c)(3)

Corrected at visit

- **Rooms That Will Be Used by the Children Must Be Well-lighted and Well-ventilated. Heating, Ventilating and Lighting Equipment Must Be Adequate for the Protectio**

417.3(b)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.