

## Floyd, Deshawna

266 Pennsylvania Ave  
Rochester, NY

### 2 Inspection Visits Since 2025 - 5 Findings - 80% Corrected at Visit

Most recent inspection: Feb 11, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Protective Caps, Covers or Permanently Installed Obstructive Devices Must Be Used on All Electrical Outlets That Are Accessible to Children. (3), All Child Care Programs Must Have at Least One Caregiver, Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid, on the Premises (1), and Each Child Shall Have an Individual Washcloth, Towel and Toothbrush. When Evening or Night Care Is Provided Each Child Shall Have the Opportunity to Change Into (1). None of the 5 findings were critical.

### Inspection Visits

**Feb 11, 2026** 3 Findings ● 3 Important

- **All Child Care Programs Must Have at Least One Caregiver, Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid, on the Premises**

417.14(m)

Corrected at visit

- **Protective Caps, Covers or Permanently Installed Obstructive Devices Must Be Used on All Electrical Outlets That Are Accessible to Children.**

417.5(i)

Corrected at visit

- **Glass in Outside Windows Less Than 32 Inches Above the Floor Level Must Be of Safety Grade or Otherwise Protected by Use of Barriers to Avoid Accidental Impact.**

417.5(p)

**Sep 16, 2025** 2 Findings ● 2 Important

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **Each Child Shall Have an Individual Washcloth, Towel and Toothbrush. When Evening or Night Care Is Provided Each Child Shall Have the Opportunity to Change Into**

417.11(i)(6)

Corrected at visit

- **Barriers Must Exist to Prevent Children From Gaining Access to Unsafe, Dangerous or Hazardous Areas or Devices. Such Areas and Devices Include, but Are Not Limi**

417.5(f)(2)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.