

## Soto, Katerin

1500 Thieriot Avenue  
Bronx, NY

### 2 Inspection Visits Since 2024 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Apr 20, 2026

● 3 Important

Across 2 inspections since 2024, the issues cited most often were Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard. (2) and In Addition to a Smoke Detector on Each Floor, There Must Be a Smoke Detector Located Either Within Rooms Where Children Nap, or in Adjoining Rooms. In the Case (1). None of the 3 findings were critical.

### Inspection Visits

**Apr 20, 2026** 1 Finding ● 1 Important

- **Suitable Precautions Must Be Taken to Eliminate All Conditions in Areas Accessible to Children Which Pose a Safety or Health Hazard.**

416.5(a)

Corrected at visit

**Oct 9, 2024** 2 Findings ● 2 Important

- **In Addition to a Smoke Detector on Each Floor, There Must Be a Smoke Detector Located Either Within Rooms Where Children Nap, or in Adjoining Rooms. In the Case**

416.4(d)

Corrected at visit

- **Operating Carbon Monoxide Detectors Must Be Used in All Group Family Day Care Homes When Required, and Located in Areas of the Home in Accordance with Applicabl**

416.5(v)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.