

Petite Miracles, Inc.

32 Whaley Avenue
Bethpage, NY

2 Inspection Visits Since 2026 · 5 Findings · 100% Corrected at Visit

Most recent inspection: May 1, 2026

● 5 Important

Across 2 inspections since 2026, the issues cited most often were There Must Be an Operational Smoke Detector on Each Floor of the Home. (2), Operating Carbon Monoxide Detectors Must Be Used in All Group Family Day Care Homes When Required, and Located in Areas of the Home in Accordance with Applicabl (2), and The Office Shall Require the Child Day Care Program to Immediately Post Upon Receipt, in a Prominent Place at the Program That Is Visible to Parents, a Copy Of (1). None of the 5 findings were critical.

Inspection Visits

May 1, 2026 3 Findings ● 3 Important

- **The Office Shall Require the Child Day Care Program to Immediately Post Upon Receipt, in a Prominent Place at the Program That Is Visible to Parents, a Copy Of**

413.3(g)(3)(i)

Corrected at visit

- **There Must Be an Operational Smoke Detector on Each Floor of the Home.**

416.4(c)

Corrected at visit

- **Operating Carbon Monoxide Detectors Must Be Used in All Group Family Day Care Homes When Required, and Located in Areas of the Home in Accordance with Applicabl**

416.5(v)

Corrected at visit

Jan 23, 2026 2 Findings ● 2 Important

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home.**

416.4(b)(1)

Corrected at visit

- **Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan**

416.5(b)(4)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.