

## KIDDIEZ INC.

914 50 Street  
Brooklyn, NY

### 3 Inspection Visits Since 2024 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Jan 15, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Multi-purpose Fire Extinguishers of a Type Approved for Use in Residences Must Be Maintained in Good Working Condition and Placed in the Kitchen and Outside The (2), At the Two-year Calendar Date in a Four Year Licensing Cycle, a Program Must Be in Compliance with the Following Mid-point Requirements and Be Able to Show Proo (1), and Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan (1). None of the 5 findings were critical.

### Inspection Visits

**Jan 15, 2026** 1 Finding ● 1 Important

● **Multi-purpose Fire Extinguishers of a Type Approved for Use in Residences Must Be Maintained in Good Working Condition and Placed in the Kitchen and Outside The**

416.4(f)

Corrected at visit

**Sep 26, 2025** 1 Finding ● 1 Important

● **At the Two-year Calendar Date in a Four Year Licensing Cycle, a Program Must Be in Compliance with the Following Mid-point Requirements and Be Able to Show Proo**

416.15(b)(25)(iii)

Corrected at visit

**Sep 25, 2024** 3 Findings ● 3 Important

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **With the Exception of Children Meeting the Criteria of Section 416.11(a)(6), Children Enrolled in Child Day Care Must Remain Current with Their Immunizations In**

416.11(a)(7)

Corrected at visit

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home.**

416.4(b)(1)

Corrected at visit

- **Each Program Must Hold Two Shelter-in-place Drills Annually During Which Procedures and Supplies Are Reviewed. Parents Must Be Made Aware of This Drill in Advan**

416.5(b)(4)

Corrected at visit

#### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.