

Harper, Agatha

339 Midwood Street
Brooklyn, NY

1 Inspection Visit Since 2025 - 2 Findings - 100% Corrected at Visit

Most recent inspection: Dec 19, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were The Licensee Must Maintain on File a Record of Each Evacuation Drill Conducted, Using Forms Provided by the Office or Approved Equivalents. (1) and The Licensee Must Maintain on File a Record of Each Shelter-in-place Drill Conducted, Using Forms Provided by the Office or Approved Equivalents. (1). None of the 2 findings were critical.

Inspection Visits

Dec 19, 2025 2 Findings ● 2 Important

- **The Licensee Must Maintain on File a Record of Each Evacuation Drill Conducted, Using Forms Provided by the Office or Approved Equivalents.**

416.4(b)(4)

Corrected at visit

- **The Licensee Must Maintain on File a Record of Each Shelter-in-place Drill Conducted, Using Forms Provided by the Office or Approved Equivalents.**

416.5(b)(5)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.