

Auguste, Joseph

1173 Rev James A Polite Avenue
Bronx, NY

1 Inspection Visit Since 2025 - 3 Findings - 100% Corrected at Visit

Most recent inspection: Feb 20, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were Each Program Must Have on Site a Variety of Supplies Including Food, Water, First Aid and Other Safety Equipment to Allow for the Protection of the Health and S (1), The Initial Medical Statement for Providers, Assistants, and Substitutes Must Include the Results of a Mantoux Tuberculin Test or Other Federally Approved Tuber (1), and The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications: (1). None of the 3 findings were critical.

Inspection Visits

Feb 20, 2025 3 Findings ● 3 Important

- **The Initial Medical Statement for Providers, Assistants, and Substitutes Must Include the Results of a Mantoux Tuberculin Test or Other Federally Approved Tuber**

416.11(b)(6)

Corrected at visit

- **The Provider, Assistant(s), and Substitutes Must Each Meet the Following Qualifications:**

416.13(a)

Corrected at visit

- **Each Program Must Have on Site a Variety of Supplies Including Food, Water, First Aid and Other Safety Equipment to Allow for the Protection of the Health and S**

416.5(b)(7)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.