

## Diaz, Kathleen

1548 Kemble St.  
Utica, NY

### 1 Inspection Visit Since 2026 · 3 Findings · 33% Corrected at Visit

Most recent inspection: Feb 24, 2026

● 3 Important

Across 1 inspection since 2026, the issues cited most often were Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children. (2) and All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr (1). None of the 3 findings were critical.

## Inspection Visits

**Feb 24, 2026** 3 Findings ● 3 Important

- **All Paths of Egress on the Interior and Exterior of the Home, Including Corridors, Aisles and Approaches Must Be Kept Free of Obstructions, Impediments and Debr**

416.4(h)(4)

- **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**

416.5(c)

Corrected at visit

- **All Matches, Lighters, Medicines, Drugs, Detergents, Aerosol Cans and Other Poisonous or Toxic Materials Must Be Stored in Their Original Containers, and Must B**

416.5(j)

### About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.