

YOUTH EMPOWERMENT ZONE

1550 NORTH CLINTON AVE
Rochester, NY

2 Inspection Visits Since 2025 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Mar 23, 2026

● 5 Important

Across 2 inspections since 2025, the issues cited most often were Each School-age Child Care Program Shall Require Any and All Visitors to the Facility To: Sign in Upon Entry to the Premises; (1), The Program Must Maintain on File at the Program, Available for Inspection by the Office or Its Designees at Any Time, the Following Records in a Current and Ac (1), and The Office Shall Require the Child Day Care Program to Immediately Post Upon Receipt, in a Prominent Place at the Program That Is Visible to Parents, a Copy Of (1). None of the 5 findings were critical.

Inspection Visits

Mar 23, 2026 2 Findings ● 2 Important

- **The Program Must Maintain on File at the Program, Available for Inspection by the Office or Its Designees at Any Time, the Following Records in a Current and Ac**

414.15(c)(12)

Corrected at visit

- **Each School-age Child Care Program Shall Require Any and All Visitors to the Facility To: Sign in Upon Entry to the Premises;**

414.8(q)(1)(i)

Corrected at visit

Sep 17, 2025 3 Findings ● 3 Important

- **The Office Shall Require the Child Day Care Program to Immediately Post Upon Receipt, in a Prominent Place at the Program That Is Visible to Parents, a Copy Of**

413.3(g)(3)(i)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

- **The Director or a Designated Qualified Staff Member Must Conduct Monthly Inspections of the Premises to Observe Possible Fire and Safety Hazards. Any Such Hazard**

414.4(h)

Corrected at visit

- **An Operable Flashlight or Battery Powered Lantern Must Be Kept in the Child Care Area. Such Equipment Must Be Properly Maintained for Use in the Event of a Power**

414.5(r)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.