

Alvarez, Bibiana

148 Pennsylvania Avenue
Brooklyn, NY

3 Inspection Visits Since 2024 - 5 Findings - 100% Corrected at Visit

Most recent inspection: Feb 3, 2026

● 5 Important

Across 3 inspections since 2024, the issues cited most often were Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home. Program Closed 416.4(f) Multi-purpose Fire (2), Each Employee and Volunteer Must Complete a Minimum of Thirty (30) Hours of Training Every Two Years. The Required 30 Hours of Training Every Two Years Is Subje (2), and Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children. (1). None of the 5 findings were critical.

Inspection Visits

Feb 3, 2026 2 Findings ● 2 Important

● **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home. Program Closed 416.4(f) Multi-purpose Fire**

416.4(b)(1)

Corrected at visit

● **Portable Electric Heaters or Other Portable Heating Devices, Regardless of the Type of Fuel Used, May Not Be Used in Rooms Accessible to the Children.**

416.5(c)

Corrected at visit

Nov 24, 2025 1 Finding ● 1 Important


● **Each Employee and Volunteer Must Complete a Minimum of Thirty (30) Hours of Training Every Two Years. The Required 30 Hours of Training Every Two Years Is Subje**

416.14(c)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.

Oct 3, 2024 2 Findings  2 Important

- **All Child Care Programs Must Have at Least One Caregiver Who Holds a Valid Certification in Cardiopulmonary Resuscitation (CPR) and First Aid on the Premises Of**

416.14(m)

Corrected at visit

- **Evacuation Drills Must Be Conducted at Least Monthly During the Hours of Operation of the Group Family Day Care Home.**

416.4(b)(1)

Corrected at visit

About this report

Childery generates this report from public inspection records published by the New York State Office of Children and Family Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the New York State Office of Children and Family Services.