

TRIWAY PRESCHOOL

3205 SHREVE RD
WOOSTER, OH

1 Inspection Visit Since 2025 · 2 Findings

Most recent inspection: Dec 4, 2025

● 2 Important

Across 1 inspection since 2025, the issues cited most often were During the Inspection, It Was Determined the Following Requirement Was Not Met: E☐ Medication Was Expired. Low Risk Non-Compliances (1) and During the Inspection, It Was Observed That Furniture and Equipment Was Not Maintained in a Safe and Sanitary Condition. Straps on the Changing Table Were Not Used. (1). None of the 2 findings were critical.

Inspection Visits

Dec 4, 2025 2 Findings ● 2 Important

- **During the Inspection, It Was Observed That Furniture and Equipment Was Not Maintained in a Safe and Sanitary Condition. Straps on the Changing Table Were Not Used.**

5108-37:06 - Furniture and equipment

- **During the Inspection, It Was Determined the Following Requirement Was Not Met: E☐ Medication Was Expired. Low Risk Non-Compliances**

5180-37:07 - Written medication policy requirements

About this report

Childery generates this report from public inspection records published by the Ohio Department of Children & Youth, Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Ohio Department of Children & Youth, Child Care Licensing.