

LEXINGTON ELEMENTARY

12333 ATWATER AVE NE
ALLIANCE, OH

1 Inspection Visit Since 2025 · 3 Findings

Most recent inspection: Oct 1, 2025

● 3 Important

Across 1 inspection since 2025, the issues cited most often were During the Inspection and Review of Staff Files, at Least One Person Onsite Does Not Have a Current Age Appropriate Course in CPR From an Approved Provider. (2) and During the Inspection and Review of Staff Files, In-service Hours Were Not Obtained During the School Year as Defined by Rule From July First Through June Thirtieth. (1). None of the 3 findings were critical.

Inspection Visits

Oct 1, 2025 3 Findings ● 3 Important

- **During the Inspection and Review of Staff Files, In-service Hours Were Not Obtained During the School Year as Defined by Rule From July First Through June Thirtieth.**

5180-37:04 - Annual in-service requirements

- **During the Inspection and Review of Staff Files, at Least One Person Onsite Does Not Have a Current Age Appropriate Course in CPR From an Approved Provider.**

5180-37:04 - Staff with required health and safety trainings

- **During the Inspection and Review of Staff Files, at Least One Person Onsite Does Not Have a Current Age Appropriate Course in First Aid From an Approved Provider. 10/01/2025 Page 2 of 9 Hiv Department of ~ Children & Youth**

5180-37:04 - Staff with required health and safety trainings

About this report

Childery generates this report from public inspection records published by the Ohio Department of Children & Youth, Child Care Licensing. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Ohio Department of Children & Youth, Child Care Licensing.