

NIERMEIER, TANYA

2700 NW 160TH STREET
EDMOND, OK

5 Inspection Visits Since 2025 - 3 Findings

Most recent inspection: May 14, 2026

● 3 Important

Across 5 inspections since 2025, the issues cited most often were Licensing Could Not Verify Fire Extinguisher Had Been Replaced or Serviced at Time of Visit. Fire Extinguisher Needed Replacing or Servicing by 5/2/26. (3). None of the 3 findings were critical.

Inspection Visits

May 14, 2026 1 Finding ● 1 Important

- **Licensing Could Not Verify Fire Extinguisher Had Been Replaced or Serviced at Time of Visit. Fire Extinguisher Needed Replacing or Servicing by 5/2/26.**

Periodic - Full

Jan 20, 2026 1 Finding ● 1 Important

- **Licensing Observed Assistant Caregiver Did Not Maintain a Current PDL. PDL Expired 1/15/26 and Did Not Have 12 Clock Hours of Professional Training Required to Renew PDL.**

Periodic - Full

Licensing observed assistan

Sep 23, 2025 1 Finding ● 1 Important

- **Primary Caregiver Has Not Obtained or Maintained a Current ODPL Level 4 or Higher.**

Periodic - Full

About this report

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.