

BUSY KIDZ LEARNING CENTER

811 E. VIRGINA AVE.
STILLWATER, OK

5 Inspection Visits Since 2025 · 3 Findings

Most recent inspection: May 5, 2026



● 3 Important

Across 5 inspections since 2025, the issues cited most often were One Classroom Was Over Ratio by 2 Children. (3). None of the 3 findings were critical.

Inspection Visits

May 5, 2026 1 Finding ● 1 Important

● **One Classroom Was Over Ratio by 2 Children.**

Periodic - Full

Both classrooms are missing lesson plans.

May 22, 2025 1 Finding ● 1 Important

● **Cleaning Products Were Accessible to Children in the Hallway.**

Periodic - Full

Program did not have equipment inventory available to Licensing. | CPR/First Aid certification expired for 3 teachers.

Jan 30, 2025 1 Finding ● 1 Important

● **Sinks Checked in the Hall Were Testing at 140 Degrees Fahrenheit.**

Periodic - Full

This form was not found to have been completed since 12/2023. New form completed in 2024 was not found.

About this report

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.