

## Zay's Place 2

2505 E SKELLY DR  
TULSA, OK

### 5 Inspection Visits Since 2025 - 4 Findings

Most recent inspection: Mar 3, 2026



● 4 Important

Across 5 inspections since 2025, the issues cited most often were Unable to Verify the Required Number of Annual Training Hours on 1 Staff (4). None of the 4 findings were critical.

### Inspection Visits

**Mar 3, 2026** 1 Finding ● 1 Important

● **Unable to Verify the Required Number of Annual Training Hours on 1 Staff**

Periodic - Full

unable to verify current CPR/FA training on 2 staff

**Nov 6, 2025** 1 Finding ● 1 Important

● **Bottom Part of Half-door in 1 Year Old Classroom Has a Broken Hinge**

Periodic - Full

baby bottles in infant and 1 year old classroom are not labeled with children's last name | fire panel inspection tag expired 10/

**Jul 10, 2025** 1 Finding ● 1 Important

● **Three Staff Without Orientation Completion Form**

Periodic - Full

staff with expired infection control training | diaper creams in infant classroom that were not labeled with child's name

**Mar 12, 2025** 1 Finding ● 1 Important

● **No Menu Posted in the Kitchen**

Periodic - Full

nails and screws protruding on wooden picket area on steps of exit to school age playground

#### About this report

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.

**About this report**

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.