

ALPHABEST EDUCATION TRUMAN ELEMENTARY

600 PARKSIDE RD
NORMAN, OK

5 Inspection Visits Since 2024 - 4 Findings

Most recent inspection: Apr 28, 2026



● 4 Important

Across 5 inspections since 2024, the issues cited most often were There Is No Current Master Teacher at This AlphaBEST Location (4). None of the 4 findings were critical.

Inspection Visits

Apr 28, 2026 1 Finding ● 1 Important

● **There Is No Current Master Teacher at This AlphaBEST Location**

Periodic - Full

Oct 27, 2025 1 Finding ● 1 Important

● **The Director Listed Currently Does Not Have an Active PDL Under This K8# on Cecpd**

Periodic - Full

The most current fire inspection has not been turned into licensing | Admin did not report the Director change to li

Apr 29, 2025 1 Finding ● 1 Important

● **The Director for This Site Has a PDL That Is Expired.**

Periodic - Full

Jul 1, 2024 1 Finding ● 1 Important

● **A Serious Non Compliance Was Self Reported to Licensing. There Was a Child Left Unattended and Without Supervision.**

Periodic - Full

About this report

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.