

PRESBYTERIAN PRESCHOOL

301 E. MOSES
CUSHING, OK

5 Inspection Visits Since 2024 · 3 Findings

Most recent inspection: May 7, 2026

● 3 Important

Across 5 inspections since 2024, the issues cited most often were There Is No Documentation of Annual Drills in the Last 12 Months (3). None of the 3 findings were critical.

Inspection Visits

May 7, 2026 1 Finding ● 1 Important

● **There Is No Documentation of Annual Drills in the Last 12 Months**

Periodic - Full

One classroom was too dark to observe children's faces.

May 16, 2025 1 Finding ● 1 Important

● **Around the Geometric Dome Climber There Was Stationary Equipment in the Use Zone.**

Periodic - Full

The director stated that they have not been keeping personnel attendance records. | The classrooms were missing the

May 17, 2024 1 Finding ● 1 Important

● **Forms Could Not Be Located on This Date. CCS Worker Could Not Verify Over the Phone with Company on This Date.**

Periodic - Full

About this report

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.