

PETER, LISA MARIE

1404 BROWNSTONE

NOBLE, OK

5 Inspection Visits Since 2026 · 2 Findings

Most recent inspection: Jun 4, 2026

● 2 Important

Across 5 inspections since 2026, the issues cited most often were One Adult That Moved in November, 2025 Was Present Today Without Having Begun the Background Investigations Process. (1) and 1/3 Full Bleach Spray Bottle on Restroom Floor Next to Toilet Used by Daycare Children & Other Cleaning Products Accessible Under Restroom Sink Cabinet Without a Child Lock. (1). None of the 2 findings were critical.

Inspection Visits

Feb 11, 2026 1 Finding ● 1 Important

- **One Adult That Moved in November, 2025 Was Present Today Without Having Begun the Background Investigations Process.**

Follow Up - Full

Feb 10, 2026 1 Finding ● 1 Important

- **1/3 Full Bleach Spray Bottle on Restroom Floor Next to Toilet Used by Daycare Children & Other Cleaning Products Accessible Under Restroom Sink Cabinet Without a Child Lock.**

Periodic - Full

A person present today m

About this report

Childery generates this report from public inspection records published by the Oklahoma Department of Human Services, Child Care Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Oklahoma Department of Human Services, Child Care Services.