

<NA>

613 EASTON TPKE
LAKE ARIEL, PA

4 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Feb 25, 2026

● 4 Important

Across 4 inspections since 2023, the issues cited most often were Comply with CPSL/CPSL Information (2), Health and Safety Training (1), and Parent Home/work Address, Phone; 2024-08-07 (1). None of the 4 findings were critical.

Inspection Visits

Feb 25, 2026 1 Finding ● 1 Important

● **Health and Safety Training**
3270.31(f)

Jun 18, 2025 1 Finding ● 1 Important

● **Comply with CPSL/CPSL Information**
3270.32(a)/3270.192(4)

Aug 7, 2024 1 Finding ● 1 Important

● **Parent Home/work Address, Phone; 2024-08-07**
3270.124(b)(3)
3270.94(a)(1) | Every 60 days; 2024-08-07 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Aug 8, 2023 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL; 2023-08-08**

3270.32(a)

3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2023-08-08 | 3270.82(j) | Running water - diapering; 2023-08-08 | 3270.102(a) | Clean and good repair; 2023-08-08 | 3270.123(a)(3) | Services proceeded; 2023-08-08 | 3270.124(c) | Each child care space; 2023-08-08 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.