

<NA>

25 MAIN ST STE 6
SMITHFIELD, PA

4 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Nov 21, 2025

● 4 Important

Across 4 inspections since 2023, the issues cited most often were Age and Training/Exp, Educ., Training at Facility; 2025-11-21 (1), General Health and Safety; 2024-11-06 (1), and Clean and Good Repair; 2024-07-26 (1). None of the 4 findings were critical.

Inspection Visits

Nov 21, 2025 1 Finding ● 1 Important

● **Age and Training/Exp, Educ., Training at Facility; 2025-11-21**

3270.31(e)(1)(iv)/3270.192(2)(iii)

3270.32(a)/3270.192(2)(iii) | Comply with CPSL/Exp, educ., training at facility; 2025-11-21 | 3270.34(a)(6) | Staff evaluations; 2025-11-21 | 3270.66(a) | Locked or inaccessible; 2025-11-21 | 3270.66(d) | Toxic plants not permitted; 2025-11-21 | 3270.76 | Building Surfaces; 2025-11-21 | 3270.82(g)/3270.102(a) | Clean and good repair/Clean and good repair; 2025-11-21 | 3270.102(a) | Clean and good repair; 2025-11-21 | 3270.103 | Small Toys and Objects; 2025-11-21 | 3270.104(a) | Clean, good repair, proper size; 2025-11-21 | 3270.123(a)(3) | Services proceeded; 2025-11-21 | 3270.131(b)(2)/3270.182(1) | Toddler/preschool: updated health report every 12 months/Ini; 2025-11-21 | 3270.135(a)(3) | Disposable diapers

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

Nov 6, 2024 1 Finding ● 1 Important

● **General Health and Safety; 2024-11-06**

3270.21

3270.27(a)(3)/3270.27(a)(4) | Contact when arises/Contact when ended; 2024-11-06 | 3270.27(b) | Plan reviewed/up-dated annually; 2024-11-06 | 3270.27(c)/3270.192(2)(iii) | Training regarding plan/Exp, educ., training at facility; 2024-11-06 | 3270.27(e) | Letter to parents; 2024-11-06 | 3270.31(e)(4)(ii)/3270.192(2)(iii) | Fire safety - 1 yr./Exp, educ., training at facility; 2024-11-06 | 3270.34(a)(6) | Staff evaluations; 2024-11-06 | 3270.65 | Protective Outlet Covers 5 yrs. or less; 2024-11-06 | 3270.76 | Building Surfaces; 2024-11-06 | 3270.103 | Small Toys and Objects; 2024-11-06 | 3270.123(a)(3) | Services proceeded; 2024-11-06 | 3270.123(a)(6)/3270.182(2) | Admission date/Ap-plication, admission, withdrawal dates; 2024-11-06 | 3270.124(c) | Each child care space; 2024-11-06 | 3270.27(a)(5) | Emergency plan; 2024-11-06 | 3270.27(a)(6) | Emergency plan

Jul 26, 2024 1 Finding ● 1 Important

● **Clean and Good Repair; 2024-07-26**

3270.102(a)

3270.104(a) | Clean, good repair, proper size

Nov 29, 2023 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2023-11-29**

3270.14/3270.21

3270.27(d) | Plan posted; 2023-11-29 | 3270.34(a)(6) | Staff evaluations; 2023-11-29 | 3270.75(b) | Inaccessible to children; 2023-11-29 | 3270.75(c) | Has all items; 2023-11-29 | 3270.166(1) | Written statement; 2023-11-29 | 3270.27(a)(6) | Emergency plan; 2023-11-29 | 3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso; 2023-11-29 | 3270.31(e) | Age and Training

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.