

<NA>

1116 RIDGE RD
SELLERSVILLE, PA

5 Inspection Visits Since 2024 · 5 Findings

Most recent inspection: Jul 16, 2025

● 5 Important

Across 5 inspections since 2024, the issues cited most often were Pertinent Laws & Regulations/General Health and Safety; 2025-04-09 (2), Parent Access & Participation (1), and Every 60 Days; 2025-07-01 (1). None of the 5 findings were critical.

Inspection Visits

Jul 16, 2025 1 Finding ● 1 Important

● **Parent Access & Participation**
3270.23

Jul 1, 2025 1 Finding ● 1 Important

● **Every 60 Days; 2025-07-01**
3270.94(a)(1)
3270.95(a)/3270.95(b) | Devices must be compliant/Director or designated staff perso

Apr 9, 2025 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2025-04-09**
3270.14/3270.21
3270.66(b) | Original container; 2025-04-09 | 3270.75(c) | Has all items; 2025-04-09 | 3270.124(b)(5) | Information re: special needs; 2025-04-09 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2025-04-09 | 3270.133(7)(i) | Name of medication; 2025-04-09 | 3270.31(e)/3270.192(2)(iii) | Age and Training/Exp, educ., training at facility

Jul 2, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **General Health and Safety; 2024-07-02**

3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information

Apr 23, 2024 1 Finding ● 1 Important

● **Pertinent Laws & Regulations/General Health and Safety; 2024-04-23**

3270.14/3270.21

3270.21 | General Health and Safety; 2024-04-23 | 3270.27(a)(3) | Contact when arises; 2024-04-23 | 3270.27(a)(4) | Contact when ended; 2024-04-23 | 3270.27(c) | Training regarding plan; 2024-04-23 | 3270.27(e) | Letter to parents; 2024-04-23 | 3270.31(e)(4)(ii) | Fire safety - 1 yr.; 2024-04-23 | 3270.32(a) | Comply with CPSL; 2024-04-23 | 3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2024-04-23 | 3270.36(b)(5)/3270.192(2)(ii) | HS/GED + 2 yrs/Exp, educ., training prior to facility; 2024-04-23 | 3270.66(a) | Locked or inaccessible; 2024-04-23 | 3270.69(b) | 110° F or less; 2024-04-23 | 3270.76 | Building Surfaces; 2024-04-23 | 3270.82(h) | Handwashing signs; 2024-04-23 | 3270.102(a) | Clean and good repair; 2024-04-23 | 3270.102(c) | Outdoor equip.- protective surfacing; 2024-04-23 | 3270.102(f) | Indoor climbing- protective surface; 2024-04-23 | 3270.106(a) | Clean, age appropriate; 2024-04-23 | 3270.111(b) | Posted in group space; 2024-04-23 | 3270.123(a)(3) | Services proceeded; 2024-04-23 | 3270.124(b)(3) | Parent home/work address, phone; 2024-04-23 | 3270.124(b)(6) | Insurance coverage information; 2024-04-23 | 3270.124(b)(7) | Name/address/phone release person; 2024-04-23 | 3270.131(b)(2) | Toddler/preschool: updated health report every 12 months; 2024-04-23 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2024-04-23 | 3270.151(a) | 12 months prior to service and every 24 months thereafter; 2024-04-23 | 3270.161(d) | Potentially hazardous food refrigerated; 2024-04-23 | 3270.166(4) | Bottles labeled; 2024-04-23 | 3270.178 | Transportation First Aid Kit; 2024-04-23 | 3270.193(a) | Confidential; stored in locked cabinet; 2024-04-23 | 3270.27(a)(6) | Emergency plan; 2024-04-23 | 3270.31(e) | Age and Training; 2024-04-23 | 3270.131(a) | Health information

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.