

<NA>

111 W MAIN ST
WEST NEWTON, PA

4 Inspection Visits Since 2023 · 4 Findings

Most recent inspection: Mar 3, 2026

● 4 Important

Across 4 inspections since 2023, the issues cited most often were Comply with CPSL; 2026-03-03 (2), General Health and Safety; 2025-03-26 (1), and Devices Must Be compliant/Director or Designated Staff Perso (1). None of the 4 findings were critical.

Inspection Visits

Mar 3, 2026 1 Finding ● 1 Important

● Comply with CPSL; 2026-03-03

3270.32(a)

3270.37(b)(3) | 8th grade + 2 yrs; 2026-03-03 | 3270.67(d) | Contaminated trash in closed plastic-lined receptacle; 2026-03-03 | 3270.77(a) | No peeling paint or plaster; 2026-03-03 | 3270.82(h) | Handwashing signs; 2026-03-03 | 3270.121(b) | Given parents in writing; 2026-03-03 | 3270.123(a)(4) | Arrival/departure times; 2026-03-03 | 3270.123(a)(5) | Designated release persons; 2026-03-03 | 3270.123(b)/3270.182(8) | Parent receives original/Copy of initial and subsequent agree; 2026-03-03 | 3270.124(b)(3) | Parent home/work address, phone; 2026-03-03 | 3270.124(c) | Each child care space

Mar 26, 2025 1 Finding ● 1 Important

● General Health and Safety; 2025-03-26

3270.21

3270.32(a)/3270.192(4) | Comply with CPSL/CPSL information; 2025-03-26 | 3270.34(a)(6) | Staff evaluations; 2025-03-26 | 3270.35(e) | 46 or more children- additional group sups; 2025-03-26 | 3270.102(a) | Clean and good repair; 2025-03-26 | 3270.124(b)(2) | Physician name, address, phone; 2025-03-26 | 3270.124(b)(7) | Name/address/phone release person; 2025-03-26 | 3270.131(e) | ACIP recommended immunization record; 2025-03-26 | 3270.31(e) | Age and Training

Jul 29, 2024 1 Finding ● 1 Important

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.

● **Comply with CPSL/CPSL Information; 2024-07-29**

3270.32(a)/3270.192(4)

3270.102(a) | Clean and good repair; 2024-07-29 | 3270.124(b)(2) | Physician name, address, phone; 2024-07-29 | 3270.124(b)(7) | Name/address/phone release person; 2024-07-29 | 3270.131(d)(5)/3270.131(e)(3) | Immunization record/Dismissal policy; 2024-07-29 | 3270.131(a)/3270.182(1) | Health information/Initial and subsequent health reports

Oct 18, 2023 1 Finding ● 1 Important

● **Devices Must Be compliant/Director or Designated Staff Perso**

3270.95(a)/3270.95(b)

About this report

Childery generates this report from public inspection records published by the Pennsylvania Department of Human Services. Childery did not conduct these inspections or produce the original state reports. Childery is an independent directory and is not affiliated with the Pennsylvania Department of Human Services.